

## Publicacions Indexades al'SCI o a Medline

### 2012

Vázquez C, Alonso R, Garriga M, de Cos A, de la Cruz J, Fuentes-Jiménez F, Salas-Salvadó J, Mata P. Validation of a food frequency questionnaire in Spanish patients with familial hypercholesterolaemia. **Nutr Metab Cardiovasc Dis.** 2012 Oct;22(10):836-42. PMID: 21703832.

[Ver abstract en PubMed](#)

Guasch-Ferré M, Bulló M, Costa B, Martínez-Gonzalez MA, Ibarrola-Jurado N, Estruch R, Barrio F, Salas-Salvadó J; for the PREDI-PLAN Investigators. A risk score to predict type 2 diabetes mellitus in an elderly spanish mediterranean population at high cardiovascular risk. **PLoS One.** 2012; 7(3): e33437. PMID: 22442692.

[Ver abstract en PubMed](#)

Cabré A, Babio N, Lázaro I, Bulló M, Garcia-Arellano A, Masana L, Salas-Salvadó J. FABP4 predicts atherogenic dyslipidemia development. The PREDIMED study. **Atherosclerosis.** 2012; 222(1): 229-234 PMID: 22420890.

[Ver abstract en PubMed](#)

Bulló M, Moreno-Navarrete JM, Fernández-Real JM, Salas-Salvadó J. Total and undercarboxylated osteocalcin predict changes in insulin sensitivity and  $\beta$  cell function in elderly men at high cardiovascular risk. **Am J Clin Nutr.** 2012 Jan;95(1):249-55. PMID: 22170359.

[Ver abstract en PubMed](#)

Martínez-González MA, Corella D, Salas-Salvadó J, Ros E, Covas MI, Fiol M, Wärnberg J, Aros F, Ruíz-Gutiérrez V, Lamuela-Raventós RM, Lapetra J, Muñoz MA, Martínez JA, Sáez G, Serra-Majem L, Pintó X, Mitjavila MT, Tur JA, Portillo MD, Estruch R; for the PREDIMED Study Investigators. Cohort Profile: design and methods of the PREDIMED study. **Int J Epidemiol.** 2012; 41(2): 377-385. PMID: 21172932.

[Ver abstract en PubMed](#)

Costa B, Barrio F, Cabré JJ, Piñol JL, Cos X, Solé C, Bolívar B, Basora J, Castell C, Solà-Morales O, Salas-Salvadó J, Lindström J, Tuomilehto J; The DE-PLAN-CAT Research Group. Delaying progression to type 2 diabetes among high-risk Spanish individuals is feasible in real-life primary healthcare settings using intensive lifestyle intervention. **Diabetologia.** 2012; 55(5): 1319-1328. PMID: 22322921.

[Ver abstract en PubMed](#)

Basulto Marset J, Casas-Agustench P, Babio Sánchez N, Salas-Salvadó J. Knowledge, interest, predisposition and evaluation of functional foods in Spanish dietitians-nutritionists and experts in human nutrition and dietetics. **Nutr Hosp.** 2012 Apr;27(2):632-44. PMID: 22732994.

[Ver abstract en PubMed](#)

Burgos R, Sarto B, Elío I, Planas M, Forga M, Cantón A, Trallero R, Muñoz MJ, Pérez D, Bonada A, Saló E, Lecha M, Enrich G, Salas-Salvadó J; Group for the Study of Malnutrition in Hospitals in Catalonia. Prevalence of malnutrition and its etiological factors in hospitals. **Nutr Hosp.** 2012 Apr;27(2):469-76. PMID: 22732970.

[Ver abstract en PubMed](#)

Urpi-Sarda M, Casas R, Chiva-Blanch G, Romero-Mamani ES, Valderas-Martínez P, Salas-Salvadó J, Covas MI, Toledo E, Andres-Lacueva C, Llorach R, García-Arellano A, Bulló M, Ruiz-Gutierrez V, Lamuela-Raventós RM, Estruch R. The Mediterranean diet pattern and its main components are associated with lower plasma concentrations of tumor necrosis factor receptor 60 in patients at high risk for cardiovascular disease. **J Nutr.** 2012 Jun;142(6):1019-25. PMID: 22535754.

[Ver abstract en PubMed](#)

Zamora-Ros R, Urpi-Sarda M, Lamuela-Raventós RM, Martínez-González MÁ, Salas-Salvadó J, Arós F, Fitó M, Lapetra J, Estruch R, Andres-Lacueva C; PREDIMED Study Investigators. High urinary levels of resveratrol metabolites are associated with a reduction in the prevalence of cardiovascular risk factors in high-risk patients. **Pharmacol Res.** 2012 Jun;65(6):615-620. PMID: 22465220.

[Ver abstract en PubMed](#)

Babio N, Sorlí M, Bulló M, Basora J, Ibarrola-Jurado N, Fernández-Ballart J, Martínez-González MA, Serra-Majem L, González-Pérez R, Salas-Salvadó J; Nureta-PREDIMED Investigators. Association between red meat consumption and metabolic syndrome in a Mediterranean population at high cardiovascular risk: cross-sectional and 1-year follow-up assessment. **Nutr Metab Cardiovasc Dis.** 2012; Mar;22(3): 200-207. PMID: 20875949.

[Ver abstract en PubMed](#)

Gargallo Fernández M, Maset JB, Lesmes IB, Izquierdo JQ, Sala XF, Salas-Salvadó J; Grupo de Consenso FESNAD-SEEDO. FESNAD-SEEDO consensus summary: evidence-based nutritional recommendations for the prevention and treatment of overweight and obesity in adults. **Endocrinol Nutr.** 2012 Aug;59(7):429-437. Consensus. PMID: 22795577.

[Ver abstract en PubMed](#)

Tulipani S, Urpi-Sarda M, García-Villalba R, Rabassa M, López-Uriarte P, Bulló M, Jáuregui O, Tomás-Barberán F, Salas-Salvadó J, Espín JC, Andrés-Lacueva C. Urolithins are the main urinary microbial-derived phenolic metabolites discriminating a moderate consumption of nuts in free-living subjects with diagnosed metabolic syndrome. **J Agr Food Chem.** 2012 Sep 12;60(36):8930-8940. PMID: 22631214.

[Ver abstract en PubMed](#)

Díaz-López A, Bulló M, Martínez-González MA, Guasch-Ferré M, Ros E, Basora J, Covas MI, López-Sabater MD, Salas-Salvadó J; PREDIMED (Prevención con Dieta Mediterránea) Reus Study Investigators. Effects of Mediterranean Diets on Kidney Function: A Report From the PREDIMED Trial. **Am J Kidney Dis.** 2012 Sep;60(3):380-389. PMID: 22541738.

[Ver abstract en PubMed](#)

Guasch-Ferré M, Bulló M, Martínez-González MÁ, Corella D, Estruch R, Covas MI, Arós F, Wärnberg J, Fiol M, Lapetra J, Muñoz MÁ, Serra-Majem L, Pintó X, Babio N, Díaz-López A, Salas-Salvadó J. Waist-to-Height ratio and cardiovascular risk factors in elderly individuals at high cardiovascular risk.

**PLoS One.** 2012;7(8): e43275. PMID: 22905246.

[Ver abstract en PubMed](#)

Martínez-González MA, García-Arellano A, Toledo E, Salas-Salvadó J, Buil-Cosiales P, Corella D, Covas MI, Schröder H, Arós F, Gómez-Gracia E, Fiol M, Ruiz-Gutiérrez V, Lapetra J, Lamuela-Raventós RM, Serra-Majem L, Pintó X, Muñoz MA, Wärnberg J, Ros E, Estruch R; for the PREDIMED Study Investigators.

A 14-Item mediterranean diet Assessment Tool and Obesity Indexes among High-Risk Subjects: The PREDIMED Trial. **PLoS One.** 2012;7(8): e43134. PMID: 22905215.

[Ver abstract en PubMed](#)

Caterson ID, Finer N, Coutinho W, Van Gaal LF, Maggioni AP, Torp-Pedersen C, Sharma AM, Legler UF, Shepherd GM, Rode RA, Perdok RJ, Renz CL, James WP; SCOUT Investigators. Maintained intentional weight loss reduces cardiovascular outcomes: results from the Sibutramine Cardiovascular OUTcomes (SCOUT) trial. **Diabetes Obes Metab.** 2012 Jun;14(6):523-30. PMID: 22192338.

[Ver abstract en PubMed](#)

Fernández-Real JM, Bulló M, Moreno-Navarrete JM, Ricart W, Ros E, Estruch R, Salas-Salvadó J. A mediterranean diet enriched with olive oil is associated with higher serum total osteocalcin levels in elderly men at high cardiovascular risk. **J Clin Endocrinol Metab.** 2012 Oct;97(10):3792-8. PMID: 22855341.

[Ver abstract en PubMed](#)

Ibarrola-Jurado N, Salas-Salvadó J, Martínez-González MA, Bulló M. Dietary phylloquinone intake and risk of type 2 diabetes in elderly subjects at high risk of cardiovascular disease. **Am J Clin Nutr.** 2012 Nov;96(5):1113-8. PMID: 23034962.

[Ver abstract en PubMed](#)

Gargallo Fernández M, Basulto Marset J, Breton Lesmes I, Quiles Izquierdo J, Formiguera Sala X, Salas-Salvadó J; FESNAD-SEEDO consensus group.

Evidence-based nutritional recommendations for the prevention and treatment of overweight and obesity in adults (FESNAD-SEEDO consensus document): Methodology and executive summary (I/III). **Nutr Hosp.** 2012 Jun;27(3):789-99. Consensus. PMID: 23114945.

[Ver abstract en PubMed](#)

Gargallo Fernández M, Quiles Izquierdo J, Basulto Marset J, Breton Lesmes I, Formiguera Sala X, Salas-Salvadó J; FESNAD-SEEDO consensus group.

Evidence-based nutritional recommendations for the prevention and treatment of overweight and obesity in adults (FESNAD-SEEDO consensus document): The role of diet in obesity prevention (II/III). **Nutr Hosp.** 2012 Jun;27(3):800-32. Consensus. PMID: 23114946.

[Ver abstract en PubMed](#)

Gargallo Fernández Manuel M, Breton Lesmes I, Basulto Marset J, Quiles Izquierdo J, Formiguera Sala X, Salas-Salvadó J; FESNAD-SEEDO consensus group. Evidence-based nutritional recommendations for the prevention and treatment of overweight and obesity in adults (FESNAD-SEEDO consensus document): The role of diet in obesity treatment (III/III). **Nutr Hosp.** 2012 Jun;27(3):833-64. Consensus. PMID 23114947.

[Ver abstract en PubMed](#)

Corella D, Ortega-Azorín C, Sorlí JV, Covas MI, Carrasco P, Salas-Salvadó J, Martínez-González MA, Arós F, Lapetra J, Serra-Majem L, Lamuela-Raventos R, Gómez-Gracia E, Fiol M, Pintó X, Ros R, Martí A, Coltell O, Ordovás JM, Estruch R. Statistical and biological gene-lifestyle interactions of MC4R and FTO with diet and physical activity on obesity: new effects on alcohol consumption. **PLoS One.** 2012 7(12): e52344. PMID: 23284998.

[Ver abstract en PubMed](#)

Ortega-Azorin C, Sorli JV, Asensio EM, Coltell O, Martinez-Gonzalez MA, Salas-Salvadó J, Covas MI, Arós F, Lapetra J, Serra-Majem L, Gómez-Gracia E, Fiol M, Sáez-Tormo G, Pintó X, Muñoz MA, Ros E, Ordovás JM, Estruch R, Corella D. Associations of the FTO rs9939609 and the MC4R rs17782313 polymorphisms with type 2 diabetes are modulated by diet, being higher when adherence to the Mediterranean diet pattern is low. **Cardiovasc Diabetol.** 2012, 11:137. PMID: 23130628.

[Ver abstract en PubMed](#)

Guasch A, Bulló M, Rabassa A, Bonada A, Del Castillo D, Sabench F, Salas-Salvadó J. Plasma vitamin D and parathormone are associated with obesity and atherogenic dyslipidemia: a cross-sectional study. **Cardiovasc Diabetol.** 2012 Dec 11;11:149. PMID: 23228198.

[Ver abstract en PubMed](#)

Márquez F, Babio N, Bulló M, Salas-Salvadó J. Evaluation of the safety and efficacy of hydroxycitric acid or Garcinia cambogia extracts in humans. **Crit Rev Food Sci Nutr.** 2012 Jul;52(7):585-94. Review. PMID: 22530711.

[Ver abstract en PubMed](#)

Bulló M, Garcia-Aloy M, Salas-Salvadó J. Healthy lifestyle and obesity among elderly with cardiovascular risks: authors' response. **Prev Med.** 2012 May;54(5):366. Response to Author. PMID: 22465671.

[Ver abstract en PubMed](#)

Quilez J, Salas-Salvadó J. Salt in bread in Europe: potential benefits of reduction. **Nutr Rev.** 2012; 70(11): 666-678. Review. PMID: 23110645.

[Ver abstract en PubMed](#)